



MIL SERIES

Ventilation Parts


Turn Bayonet Burst Battery Pack Vent Plug



Battery Pack Application



- >Maintain high airflow in large battery main pack and open
- >Equalize pressure and reduce condensation by allowing air to flow freely into and out of sealed large enclosures.
- >Simple and flat design meets any type of enclosures.
- >IP68 protection class(2meters/60min.) and -40° C to +125° C operating temp.range.Best to use under the tough environment.
- >Installing on the side/top face of enclosures is effective for outdoor use.



Technical Data

Typical airflow	14l/min(dp=7kpa)
Burst Pressure	20kpa
Water entry pressure	0.3bar/30sec
Enviromental performance	IEC529,2nd(Protection class):IP66.IP67.IP68(Immersion:2meters/60min.)IP69K IEC60068-2-1,2,14(Heat resistance):-40°C~+125°C IEC600-2-78(Humidity testing):85%.85%humidity-1000 hours IEC62108.10.8.9(Solar industry testing):Humidity freeze-High temperature,Hail impact test. UL94V-0f1(Flame resistant)

Part no./Components

Part no.	Material						Sales unit
	① Housing	②Membrane	③O-ring	④Color	Mount hole		
MIV-30Bayonet	PBT	Micro Membrane	Silicone	Light Grey	Φ30		100
MIV-30BayonetB				Black			