



阿里官网

### 东莞市赛亿欧电子科技有限公司

Dongguan SYO Electronic Technology Co., Ltd

地址：广东省 东莞市 塘厦镇 新苑南路5号鑫博盛创客产业园A栋7楼西面

Add : 7th floor, A building , No.5 of XinYuan south Road, TangXia town, DongGuan, China

电话 TEL: (86) 0769-82960021

传真 FAX: (86) 0769-82953498-8016

网址 WEB: <https://syobattery.1688.com>



广东 • 东莞  
Guangdong dongguan



# 赛亿欧

— SYO —

锂电池专业解决方案提供商  
Professional Lithium ion battery solution provider

因为专注 所以专业

东莞市赛亿欧电子科技有限公司  
Dongguan SYO Electronic Technology Co., Ltd

## 公司简介//Company profile

东莞市赛亿欧电子科技有限公司（简称赛亿欧）成立于1999年，公司生产基地位于东莞市塘厦镇，是集锂离子电池，圆柱电池及相关电池组研发生产销售为一体的创新型企业，面积达5000平方米，目前员工人数约达300人以上。

主要产品应用领域有：个人护理，数码3C，照明灯具，消费类电子，汽车应急电源智能家居等产品。

公司生产全面实行ISO9001国际质量管理体系。多年以来坚持自主研发自主生产独立销售，拥有独立的研发团队和国内外销售团队，为客户提供了成功的电池解决方案。产品已通过UL 'CE' 'REACH' 'RoHS' 'KC' 等多项国际认证遍及亚洲欧洲美洲等地，获得客户的认同和好评。同时拥有先进的自动化电芯生产设备以及可靠性测试设备，坚持高标准的要求，确保产品的质量，实现公司业务的良性发展。

赛亿欧坚持以客户为中心，给客户最具性价比的产品及服务 坚持以市场为导向，积极探索创新，立志做行业内最具价值的供应商。以员工为根本，为员工打造成功的平台。赛亿欧始终与客户和员工一起共创美好明天！

Dongguan SYO Electronic Technology Co., LTD. (Hereinafter referred to as "SYO") was established in 1999. The company's production base is located in Tangxia Town, Dongguan City. It is an innovative enterprise integrating r&d, production and sales of lithium ion batteries, cylinder batteries and related battery packs.

The main product application field has: the personal care, the digital 3C, the lighting lamps, the consumer electronics, the automobile emergency power supply intelligent household and so on product. company fully implements the ISO9001 international quality management system. For many years, we insist on independent research and development, independent production and independent sales, with independent research and development team and sales team at home and abroad, to provide customers with successful battery solutions. The products have passed UL 'CE' REACH 'RoHS' KC 'and other international certifications throughout Asia, Europe, America and other places, and have been recognized and praised by customers. At the same time has the advanced automatic cell production equipment and the reliability test equipment, adheres to the high standard request, guarantees the product quality, realizes the company business benign development.

SYO adheres to the customer-oriented approach and provides customers with the most cost-effective products and services. Adhere to the market-oriented, actively explore innovation, determined to be the industry's most valuable supplier.

Take the employee as the foundation, builds the successful platform for the employee. SYO always works with customers and employees to create a better tomorrow!





**赛亿欧**  
— S Y O —

**以诚待人 以信立企**

BE HONEST WITH OTHERS AND ESTABLISH

ACOMPANY WITH FAITH

## 目录 | CONTENTS

公司介绍	01	02
Company profile		
目 录	03	04
Company profile		
荣誉资质	05	06
Certification certificate		
企业文化	07	08
The enterprise culture		
设备介绍	09	10
Equipment		
聚合物电池	11	12
Polymer lithium battery		
动力电池组	13	14
Power lithium battery		
圆柱锂电池	15	16
Cylindrical battery		
18650电池组	17	18
18650 battery		
12V启动电池	19	20
12V starter battery		
电池型号目录	21	22
The battery specification		



荣誉资质  
5



**TREASURE PAST HONORS**  
**CREATE TOMORROW'S BRILLIANCE**  
**珍藏过去的荣誉 创造明日的辉煌**

荣誉资质  
6



## 经营理念/BUSINESS CONCEPT

以人为本 合作共赢 诚信守信  
精益求精 精益求精

People-oriented, win-win cooperation,  
integrity and trustworthiness  
Lean innovation rewards the old society

团结一致 稳步发展 脚踏实地  
勇于创新

Unity, steady progress, solid ground  
innovation

## 企业文化/CORPORATE CULTURE

作为电池行业中具有价值的供应商 为企业  
员工创建美好生活回报社会

As a valuable supplier in the battery industry  
Create a better life for the enterprise employees  
return to the society

生产研制更好的产品 提升自我价值  
为客户和社会创造价值

Produce and develop better products  
Improve your self-worth  
Create value for customers and society

## 设备介绍//Equipment




真空搅拌机/Mixing



涂布机/Coating machine

## 设备介绍//Equipment




卷绕机/Winding machine



真空注液/Injection

设备介绍



高温烤箱/The oven



辊压机/Roller press



恒温化成/into



顶测封/The sealing

设备介绍

9



载片机/Slide machine



分条机/Slitting machine



精密分容/Points for



高温老化/aging

10

# 聚合物锂电池

Polymer lithium battery



## 赛亿欧

— S Y O —



### 商品参数


Product parameters



型号 model	SYO 550830
容量 capacity	120mAh
电压 voltage	3.7V
内阻 Internal resistance	210mΩ
尺寸 size	5.8*08*30mm

### 商品参数

Product parameters



型号 model	SYO 501838
容量 capacity	300mAh
电压 voltage	3.7V
内阻 Internal resistance	160mΩ
尺寸 size	5.0*18*38mm

### 商品参数


Product parameters



型号 model	SYO 652030
容量 capacity	350mAh
电压 voltage	3.7V
内阻 Internal resistance	165mΩ
尺寸 size	6.5*20*30mm

### 商品参数

Product parameters



型号 model	SYO 357095
容量 capacity	2800mAh
电压 voltage	3.7V
内阻 Internal resistance	140mΩ
尺寸 size	50*20*30mm

# 锂离子动力锂电池组 Lithium-ion battery pack



**赛亿欧**  
— S Y O —



## 商品参数 Product parameters



型号 model	SYO 60V30Ah
电压 voltage	60V
容量 capacity	30Ah
尺寸 size	220*215*290mm
应用 application	electrical motorcycle electrical bicycle

## 商品参数 Product parameters



型号 model	SYO 60V32Ah
电压 voltage	60V
容量 capacity	32Ah
尺寸 size	215*165*315mm
应用 application	electrical motorcycle escooter, tricycle etc

## 商品参数 Product parameters



型号 model	SYO 48V160Ah
电压 voltage	48V
容量 capacity	160Ah
尺寸 size	450*380*230mm
应用 application	electric forklift, energy storage, sightseeing bus,

## 商品参数 Product parameters



型号 model	SYO 60V55Ah
电压 voltage	60V
容量 capacity	55Ah
尺寸 size	240*140*400mm
应用 application	electrical motorcycle electrical scooter, AGV



# 圆形单颗锂电池

## Round single lithium battery



**赛亿欧**  
— S Y O —



### 商品参数

#### Product parameters



型号 model	SYO 18650
电压 voltage	3.7V
容量 capacity	1800mAh
尺寸 size	18*65mm
应用 application	electric fan, electric toys, beauty sprayer etc

### 商品参数


#### Product parameters



型号 model	三星 18650
电压 voltage	3.7V
容量 capacity	2200mAh
尺寸 size	18*65mm
应用 application	electric toothbrush beauty instruments

### 商品参数


#### Product parameters



型号 model	SYO 18650
电压 voltage	3.7V
容量 capacity	2200mAh
尺寸 size	18*60mm
应用 application	camping lamps, outside lights, LED lights etc

### 商品参数

#### Product parameters




型号 model	SYO 32700
电压 voltage	3.2V
容量 capacity	6000mAh
尺寸 size	32*70mm
应用 application	electric power tools flashlight, speakers

# 圆柱锂电池串并联组合 Series parallel combination



## 赛亿欧

— S Y O —



### 商品参数 Product parameters



型号 model	SYO 18650 2S4P
电压 voltage	7.4V/14.4V
容量 capacity	8800mAh
尺寸 size	60.5*37.5*73.5mm
应用 application	solar lights, LED lights traffic lights, respirator

### 商品参数 Product parameters




型号 model	SYO 18650 10S2P
电压 voltage	36V
容量 capacity	4400mAh
尺寸 size	135*57*85mm
应用 application	electric hoverboard, electric scooters etc

### 商品参数 Product parameters



型号 model	SYO 18650 10S2P
电压 voltage	36V
容量 capacity	5000mAh
尺寸 size	400*36*36mm
应用 application	electric hoverboard, electric scooters etc

### 商品参数 Product parameters



型号 model	SYO 18650 3S4P
电压 voltage	11.1V
容量 capacity	8000mAh
尺寸 size	240*140*400mm
应用 application	solar lamps, electric power tools, smart box etc

# 摩托车专用启动电池 Motorcycle dedicated boot battery



## 赛亿欧

— S Y O —

### 容量足 • 免维护 • 进口电芯

Full capacity of maintenance-free imported cell



#### 商品参数 Product parameters



型号 model	SYO SFP9B-2
电压 voltage	12.8V
启动电流 C C A	300A
尺寸 size	L144xW75xH105
启动车辆 Displacement	≤1800CC

#### 商品参数 Product parameters



型号 model	SYO SFP7A-1
电压 voltage	12.8V
启动电流 C C A	300A
尺寸 size	L140xW78xH130
启动车辆 Displacement	≤1200CC

#### 商品参数 Product parameters



型号 model	SYO SFP7A-1
电压 voltage	12.8V
启动电流 C C A	130A
尺寸 size	L113xW72xH86.5
启动车辆 Displacement	≤250CC

#### 商品参数 Product parameters



型号 model	SYO SFP9B-1
电压 voltage	12.8V
启动电流 C C A	230A
尺寸 size	L144xW75xH105
启动车辆 Displacement	≤1200CC

# 聚合物锂电池型号

## LITHIUM POLYMER BATTERY MODEL

Item No.	Capacity (mAh)	Nominal Voltage (V)	Demension (T*W*L mm)	Weight (g)	Resistance (mΩ)
102050	1000	3.7	10*20*50	18.5	50
103450	1800	3.7	10*34*50	24	50
	2000	3.7			
302030	120	3.7	3*20*30	3.5	180
351135	90	3.7	3.5*11*35	1.8	213
370821	35	3.7	3.7*8*21	1.1	500
380937	110	3.7	3.8*9*37	3.5	180
381030	80	3.7	3.8*10*30	1.7	225
381225	70	3.7	3.8*12*25	1.6	266
391119	50	3.7	3.9*11*19	1.3	360
401025	70	3.7	4*10*25	1.6	266
401230	120	3.7	4*12*30	2.2	168
401520	70	3.7	4*15*20	1.6	266
402025	150	3.7	4*20*25	4.5	75
402030	200	3.7	4*20*30	5	110
402826	250	3.7	4*28*26	5.6	96
403035	400	3.7	4*30*35	6.8	85
403040	430	3.7	4*30*40	9	77
403450	600	3.7	4*34*50	9	58
422737	400	3.7	4.2*27*37	6.8	85
444648	1300	3.7	4.4*46*48	21	50
450830	80	3.7	4.5*8*30	1.7	225
450909	30	3.7	4.5*9*9	1.1	550
451020	50	3.7	4.5*10*20	2	550
451342	230	3.7	4.5*13*42	5	105
451430	150	3.7	4.5*14*30	4.5	75
451646	300	3.7	4.5*16*46	5.8	87
453985	2000	3.7	4.5*39*85	30	50
461417	70	3.7	4.6*14*17	1.6	266
461730	200	3.7	4.6*17*30	4.8	130

Item No.	Capacity (mAh)	Nominal Voltage (V)	Demension (T*W*L mm)	Weight (g)	Resistance (mΩ)
501035	140	3.7	5*10*35	4	150
501838	280	3.7	5*18*38	5.5	90
502060	820	3.7	5*20*68	15.7	51
502070	820	3.7	5*20*70	16.5	55
502646	600	3.7	5*26*46	13	65
503048	800	3.7	5*30*48	16	50
503759	1200	3.7	5*37*59	21	50
523450	900	3.7	5.2*34*50	16.9	55
	1000	3.7	5.2*34*50	18.5	50
551012	45	3.7	5.5*10*12	1.2	397
551535	250	3.7	5.5*15*35	5.6	96
551560	520	3.7	5.5*15*60	10.2	63
601646	400	3.7	6*16*46	6.8	85
602035	400	3.7	6*20*35	6.8	85
602046	500	3.7	6*20*46	10.2	63
602063	1000	3.7	6*20*63	18.5	50
602240	500	3.7	6*22*40	10.2	63
602248	630	3.7	6*22*48	13.3	56
602937	650	3.7	6*29*37	13.3	56
611663	680	3.7	6.1*16*63	13.6	54
623450	1200	3.7	6.2*34*50	21	50
632633	500	3.7	6.3*26*33	10	60
652030	350	3.7	6.5*20*30	7.8	77
652535	600	3.7	6.5*25*35	9	58
652540	600	3.7	6.5*25*40	9	58
652631	500	3.7	6.5*26*31	10.2	63
653043	800	3.7	6.5*30*43	15.7	51
653450	1200	3.7	6.5*34*50	21	50
661525	190	3.7	6.6*15*25	4.5	126
673048	920	3.7	6.7*30*48	17	60
701230	220	3.7	7.0*12*30	4.9	113